

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	96	(HAHN near3 ALEXANDER).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 16:50
S2	21	("0002003" "20020167309" "20030056606" "20040100251" "3772675" "4853632" "564 6523" "5925953" "6542088" "6733457"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 16:56
S3	99058	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 20:13
S4	125981	(sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 17:01
S5	10330	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 17:03
S6	2207	S5 and (co\$1 axial (common "same") near3 axis) same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:56
S7	2678	S5 and (co\$1 axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 17:10

EAST Search History

S8	87	S6 and ((shield\$3 screen\$3 block\$3 stop\$5 cancel\$7 eliminat\$5) near5 (field flux \$6magnet\$7) (de\$1coupl\$3 un\$1coupl\$3) near3 (sensor probe transducer detector hall magneto\$1resist\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 17:24
S9	471	S7 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S10	8179	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 and (shaft axle) and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1resist\$4) same (shaft axle) same (rotat\$3 rotational revolv\$3 revolution) and (co\$1axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 20:15
S11	3146	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 and (shaft axle) and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution) and (co\$1axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:11
S12	939	S11 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 20:16
S13	468	S12 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:57
S14	5972	S10 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 20:28

EAST Search History

S15	5504	S14 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/15 20:28
S16	5033	S15 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:41
S32	7974	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 same (shaft axle) and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution) and ("2" two second additional multipl\$3 plural\$3) with (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:58
S33	99058	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:13
S34	125981	(sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:27
S35	10330	S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:13
S36	2207	S35 and (co\$1 axial (common "same") near3 axis) same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:13

EAST Search History

S37	6277	S32 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:13
S38	2678	S35 and (co\$1 axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:15
S39	471	S38 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:15
S40	3146	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 and (shaft axle) and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution) and (co\$1 axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:21
S41	939	S40 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:15
S42	468	S41 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:15
S43	6277	S37 not S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:15

EAST Search History

S44	5895	S43 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S45	8179	(reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 and (shaft axle) and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) same (shaft axle) same (rotat\$3 rotational revolv\$3 revolution) and (co\$1 axial (common "same") near3 axis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S46	5972	S45 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S47	5504	S46 not S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S48	5033	S47 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 12:16
S49	5895	S44 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:40
S50	75555	(shaft axle) near3 (rotat\$3 rotational revolv\$3 revolution) near3 (angle position location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:55

EAST Search History

S51	7480	S50 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 16:53
S52	6076	S51 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:56
S53	5582	S52 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:56
S54	4954	S53 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:57
S55	4806	S54 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:57
S56	4666	S55 not S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 15:57
S58	2132	S56 and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1resist\$4) same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:38

EAST Search History

S59	17900	324/207.2,207.11,207.13,207.15,207.16,207.17,207.21,207.22,207.23,207.25,260,261,160-180.ccls. 33/1PT,1N.ccls. 310/68B,168,154.29,156.05,169,170.ccls. 318/661.ccls. 123/612,617.ccls. 180/400.ccls. 341/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/19 13:53
S60	427	S59 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:23
S61	0	("2004/0070392").URPN.	USPAT	OR	ON	2007/03/17 16:59
S62	2628	73/118.1,1.75.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:22
S63	85	S62 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:24
S66	3125	S59 and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 18:44
S67	3114	S66 not S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:39
S68	2991	S67 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:40

EAST Search History

S69	2991	S68 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 17:42
S70	324	S62 and (sens\$3 detect\$3 measur\$5 determin\$5 comput\$5 calculat\$5 encoder hall probe transducer magneto\$1 resist\$4) with (shaft axle) with (rotat\$3 rotational revolv\$3 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 18:47
S71	305	S70 not S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/17 19:05